



KVM EXTENDERS

Mini USB 100Mtr KVM Extender	194
USB 150Mtr KVM Extender	194
USB 300Mtr KVM Extender + Audio	194
USB 250Mtr KVM Extender + Audio & Virtual Storage	194
Digital LAN Network USB KVM Extender with Audio	194



KVM SWITCHES

8 & 16 Port PS2/USB KVM Switches	195
4 & 8 Port PS2/USB KVM Switches+Audio	195
2 & 4 Port PS2/USB KVM Switches with Audio & OSD	195
Cables	195



LCD KVM CONSOLES

17" LCD KVM PS/2 Consoles	196
19" LCD KVM Console Units	196
KVM On The Net	196



KVM FOR BLADE SERVERS

24 & 48 Port Switches	197
Cables	197

KVM



LCD KEYBOARD DRAW & KVM SOLUTIONS

RKP Series LCD Key Draw	198
N series 17" Enhanced LCD Key Draw	198
Combo 8/16 Port KVM Switches	199
8/16/32 Port KVM Switches, Cat6	199

Mini USB 100Mtr KVM Extender

ATEN



The CE100 is a point to point USB KVM extender. Allows access to a computer system from a remote USB console (USB keyboard, USB mouse, and monitor). Max distance 100Mtrs across CAT5e.

Mini USB KVM Extender

CE100

USB 150Mtr KVM Extender

ATEN



The CE700a allows point to point USB KVM up to 150Mtrs using CAT5e cable. Dual console operation from both the local and remote USB keyboard, mouse and monitor. Max distance 150Mtrs across CAT5e.

USB KVM Extender

CE700A

USB 300Mtr KVM Extender + Audio

ATEN



The CE770 allows point to point USB KVM & audio upto 300Mtrs using CAT5e cable. Dual console operation from both the local and remote USB keyboard, mouse and monitor. Supports stereo speakers and microphones. Ideal for media or presentation suites. RS232 port allows connection to a nt serial device.

USB KVM Extender + Audio

CE770

USB 250Mtr KVM Extender with Audio & Virtual Storage

ATEN



The CE770 allows point to point USB KVM & audio upto 250Mtrs using CAT5e cable. Dual console operation from both the local and remote USB keyboard, mouse and monitor.

Supports stereo speakers and microphones. Built in USB port supports external USB Mass storage compliant flash drives for easy file sharing.

USB KVM Extender/Audio/USB Flash

CE800B

Digital LAN Network USB KVM Extender + Audio

ATEN



The CE790 extender is connected to an ethernet switch which then allows any remote unit to attach to any PC if required. Allows flexible point to point, point to multipoint and multipoint to multipoint * via an ethernet switch.

Serial port allows connection to serial devices such as touch screens and barcode scanners. Ideal for industrial, training, and conference applications *Requires a IGMP enabled network switch.

Digital KVM Extender

CE790

8 & 16 Port PS2/USB KVM Switches



The CS range features dual interface support. Autodetection of PS/2 and USB keyboards and mice. Port selection is via front panel, hotkeys and OSD. Multiplatform support-Windows, Linux, Mac & Sun. Rack mountable and cascadable to two levels-control upto 64 or 256 computers. VDS Video DynaSync optimizes resolution when switching between ports. Requires KVM cables to suit application.

8 port PS/2-USB KVM	CS1308
16 port PS/2-USB KVM	CS1316

KVM Lead options

Length	USB Leads	PS2 Leads
1.2M	2L-5201U	2L-5201P
1.8M	2L-5202U	2L-5202P
3M	2L-5203U	2L-5203P
5M	2L-5205U	2L-5206P

4 & 8 Port PS2/USB KVM Switches with Audio



The CS range features dual interface support. Autodetection of PS/2 and USB keyboards, mice, mic, speaker support. Port selection is via front panel, hotkeys & OSD. Multiplatform support: Windows, Linux, Mac & Sun desk stackable and rack mountable. Cascadable to three levels-control up to 64 or 512 computers. Up to 2048x1536 DDC2B resolution. Requires KVM cables to suit application.

4 port PS/2-USB KVM	CS1754
8 port PS/2-USB KVM	CS1758

KVM Lead options

Length	USB Leads	PS2 Leads
1.2M	2L-5301U	2L-5301P
2M	2L-5302U	2L-5302P
3M	2L-5303U	2L-5303P
5M	2L-5305U	2L-5305P

KVM

2/4 Port PS2/USB KVM Switch with Audio & OSD



The CS8 series are dual interface KVMs which can support computers with PS2 and USB keyboards and mice. Computer selection is via hotkeys, pushbuttons or mouse. Supports Win, Mac, Linux & Sun. Available in 2 and 4 port versions.

2 Port PS2/USB KVM Switch	CS82U
4 Port PS2/USB KVM Switch	CS84U

2 port is supplied with 2 x 1.2m cables
4 port is supplied with 2 x 1.2m & 2 x 1.8m cables.

1.2M PS2/USB combo leads	2L-5301UP
1.8M PS2/USB combo leads	2L-5302UP
3M PS2/USB combo leads	2L-5303UP

17" LCD KVM PS/2 Console



The CL1000 is a KVM console module that serves as the front-end for standard KVM switches. Featuring an integrated 17" LCD panel, full keyboard, and touchpad in a 1U, rack-mountable, Slideaway™ housing. Users who already have a switch can take advantage of the space saving and efficiency benefits of the CL1000 LCD KVM console without the unnecessary expense of having to purchase a LCD KVM switch.

LCD PS/2 Console **CL1000**



The CL1000 can be connected to the CS13 series and CS17 series KVMs (see page 195) for USB or mixed PS/2 and USB applications by using the USB support cables.

USB support cable 1.8M **2L-5202UP**

USB support cable 3M **2L-5203UP**

USB support cable 5M **2L-5205UP**

19" LCD KVM Console units



Dual Rail LCD PS/2-USB Console. The CL5800 is a series of KVM Console modules featuring an integrated 19" LCD panel, a full keyboard, and a touch pad in a 1U rack-mountable sliding housing. The CL5800s LCD and keyboard/touch pad modules slide independently of each other. To maximize space in your data center, the keyboard/touch pad module slides back to "hide away" when not in use, while the thin profile LCD monitor rotates back - flush against the rack - allowing convenient monitoring of computer activity.

LCD USB/ PS/2 Console **CL5800**

KVM

KVM on the NET



KVM on the NET provides over IP capability to any KVM switches that do not have built in IP functionality. Up to 64 user accounts-32 concurrent user logins for single bus sharing.

Built in message board feature allows logged in users to communicate with each other.

Critical System events sent via email and SNMP trap & Syslog support.


PS/2/USB

Flexible encryption design 56-bit DES, 168-bit 3DES 256-bit AES, 128-bit RC4 or random.

Supports Win, Mac, Linux, Sun, FreeBSD.

KVM on the NET **CN8000**

Blade Server KVM on the NET



24 and 48 port KVM Over the NET™ - 1 local / 2 remote user access. The new generation of KVM over the NET™ switches allows local and remote operators to monitor and access the entire enterprise data center over the Internet using a web-based browser. In addition, they offer out-of-band access – including external modem support – for BIOS-level troubleshooting when the network is down. Connectivity is via a structured cabling system to the KVM. Each server is fitted with a KVM to RJ45 dongle and then patched across your network back to the KVM controller.

To help you manage and control your entire datacenter environment, Altusen now support blade servers and chassis. Also, there are some new powerful features such as Power Association, which enables the switch’s KVM ports to be associated with power outlets on an ATEN/ALTUSEN PDU – therefore allowing power management of the server attached to the port from the switch’s interface. The KVM Over the NET switches powerful capabilities further include: Message Board, Panel Array Mode, Mouse DynaSync, Adapter ID, and Virtual Media.

With their dual on-board NICs and dual power supplies, these switches have been built for 24/7 reliability to ensure the highest rate of availability for your server room and data center services.

24 Port KVM on the NET	KN2124V
40 Port KVM on the NET	KN2140V

Compatible KVM Adaptor Cables



The standard KA7 series adaptor cables offer superior video quality. Supports resolution of up to 1600 x 1200 within the distance of up to 50m.

PS/2 KVM Adaptor Cable	KA7120
USB KVM Adaptor Cable	KA7170
SUN legacy Adaptor cable	KA7130
Serial KVM Adaptor cable	KA7140
USB Virtual Media KVM Adaptor cable	KA7175
USB Virtual Media KVM & Audio cable	KA7176

KVM

RKP Series



15" LCD console inc 1 x CE-6 cable	RKP115E-EU
17" LCD console inc 1 x CE-6 cable	RKP117E-EU
17" LCD 8 Port KVM inc 8 x CE-6 cables	RKP117-S801E-EU
17" LCD 16 port KVM inc 16 x CE-6 cables	RKP117-S1601E-EU
CE-6 Combo KVM leads 1.8Mtr USB/PS2	CE-6

The RKP series 1U LCD KVM solutions are a cost effective way of managing multiple servers from a single KVM. Available with either 15" or 17" TFT LCD screens and with PS2/USB combo connectivity. Each unit is supplied with leads.

Console units can be used to connect to existing KVM switches to give single monitor and keyboard control.

RKP Series Feature

- SAMSUNG Class A LCD Panel 15" or 17"
- Extended slide rails
- Slide rail lock out
- Supplied with leads

Standard configuration is UK keyboard layout, number keypad and a touch pad mouse.

Other configurations are available, including keyboard language and a trackball.

N Series Enhanced including KVM over CAT6 options



The N series drawers are an enhanced version of the highly popular RKP series with improved aesthetics, a new front panel, single or one man installation rails and can be specified with KVM over CAT6 Matrix connectivity.

The N series 1U Next Generation LCD Key drawers are available with a 17 or 19" SAMSUNG Class A LCD panels and are supplied with rack mount drawer. Ships as standard with both PS/2 and USB (Combo) connectivity and with either touchpad or trackball in most European keyboard language layouts.

N series features

- 17 or 19" SAMSUNG Class A LCD panels.
- PS/2 and USB (Combo) connectivity
- Single or one man installation rails
- PS2/USB leads supplied

CAT6 connectivity allows the connection from the server back to the KVM to be run across a CAT6 infrastructure. Each server will have either a PS/2 or USB to RJ45 dongle which will allow patching into your network. The KVM is then patched onto the corresponding link.

This greatly reduces the size of the cabling required to connect the KVM to your servers, and adds flexibility to your layout.

1U 17" Enhanced LCD Key Drwr, Num pad, TP Mouse, Combo , 1 x CE-6 **N117E-EU**

1U 17" Enhanced LCD Key Drwr, Num pad, TP Mouse, Single Console 8 Port Combo KVM , 8 x CE-6 **N117-S801E-EU**

1U 17" Enhanced LCD Key Drwr, Num pad, TP Mouse, Single Console 16 Port Combo KVM , 8 x CE-7 **N117-S1601E-EU**

1U 17" Enhanced LCD Key Drwr, Num pad, TP Mouse, Two Console 16 Port Combo IP KVM , 8 x CE-6 **N117-IP1602E-EU**

1U 17" Enhanced LCD Key Drwr, Num pad, TP Mouse, Single Console 8 Port Cat6 KVM , No Cables **N117-U801E-EU**

1U 17" Enhanced LCD Key Drwr, Num pad, TP Mouse, Single Console 16 Port Cat6 KVM , No Cables **N117-U1601E-EU**

1U 17" Enhanced LCD Key Drwr, Num pad, TP Mouse, Single Console 32 Port Cat6 KVM , No Cables **N117-U3201E-EU**

1U 17" Enhanced LCD Key Drwr, Num pad, TP Mouse, Two Console 16 Port Cat6 IP KVM , No Cables **N117-U1P1602E-EU**

1U 17" Enhanced LCD Key Drwr, Num pad, TP Mouse, Two Console 32 Port Cat6 IP KVM , No Cables **N117-U1P3202E-EU**

1U 17" Enhanced LCD Key Drwr, Num pad, TP Mouse, Matrix 16 Port Cat 6 2 x IP, 1 x Local, 1 x Remote, No Cables **N117-MUIP1624E-EU**

1U 17" Enhanced LCD Key Drwr, Num pad, TP Mouse, Matrix 32 Port Cat 6 2 x IP, 1 x Local, 1 x Remote, No Cables **N117-MUIP3224E-EU**

CAT6 Dongles

PS2 - RJ45 CAT6 Dongle	DG 100
USB - RJ45 CAT6 Dongle	DG100S

Combo KVM Switches



Combo KVM -19" rack mount 8 & 16 port KVM switches features PS2/USB (Combo) connectivity. The KVM drawer can be cascaded with CV rack mount KVM switches to enable access to up to 128 servers. IP access is provided via 128 bit secure connection giving secure access via a web browser to the Bios level of your infrastructure.

Rack Mount KVM Switches

Two console 16 port Combo IP KVM switch, 8xCE-6 cables	CV-S801
Single console 16 port Combo IP KVM switch, 8xCE-6 cables	CV-S1601
Two console 8 port Combo IP KVM switch, 8xCE-6 cables	IP-802
Two console 16 port Combo IP KVM switch, 8xCE-6 cables	IP-1602

Accessories

6ft (1.8m) Combo KVM Cable	CE-6
10ft (3m) Combo KVM Cable	CE-10
15ft (4.5m) Combo KVM Cable	CE-15
6ft (1.8m) KVM Cascade Cable	CE-6

KVM Switches - Cat6



16 and 32 port rack mount Cat6 KVM provides increased density & distances, enhanced cable management and multiplatform capabilities through PS/2 or USB dongle at the server end. IP access is provided via 128 bit secure connection giving secure access via a web browser to the Bios level of your infrastructure.

Rack mount Single Console 8 Port Cat 6 KVM, no cables	U-801
Rack mount Single Console 16 Port Cat 6 KVM, no cables	U-1601
Rack mount Single Console 32 Port Cat 6 KVM, no cables	U-3201
Rack mount Two Console 16 Port Cat 6 IP KVM, no cables	UIP-1602
Rack mount Two Console 32 Port Cat 6 IP KVM, no cables	UIP-3202

Accessories

PS/2 dongle for Cat6 KVM	DG-100
USB dongle for Cat6 KVM	DG-100S
DVI dongle for Cat6 KVM	DG-100SD
6ft (1.8m) KVM Cascade Cable	CBC-6

KVM

For all the latest product information see www.minitran.co.uk.

Minitran Structured Cabling | Networking
Audio Visual | Home Automation | Security

Home About Us Catalogue Glossary Location Contact Clearance Open an Account Cabling Partner Farms Newsletter Links

Need Help? We'll call you. Search

ARCHOS Entertainment your way Win an Archos 101 Internet Tablet PC in our Prize Draw [Click Here](#)

Basket: 0 item(s)
Total: £0.00 + VAT
Checkout Empty Basket
Submit for Quote
If you have an account you can submit your basket for a quote.

FREE standard next day delivery for orders over £150

Product Categories

- Structured Cabling Systems & Accessories
- Home Cabling & Home Automation
- Audio Visual
- Fibre Optic
- Voice Products
- Cable Tray, Trunking, Conduit & Cable Protection
- Ethernet Switches, Converters & KVM

INTRODUCING Surveon

A brand new range of megapixel IP PoE video cameras, software and NVR's - offering you an end to end solution supported by a 3 year warranty!

Included are Bullet, Dome, Pan & Tilt Cameras and Network Video Recorders (NVR's)

ALL SUPPLIED WITH FEATURE RICH SOFTWARE WHICH AUTO CONFIGURES FOR EASY SET UP!

Features include:

- Foreign & missing object detection
- Forbidden area
- Intrusion detection
- Camera tampering detection
- ...and more!

3 Year Warranty

[follow this link for the price](#) [follow this link to apply for FREE trials](#)