

Mini5 Enclosures



	Page
Standard wall boxes	96
Wall boxes with side doors	96
Flat pack wall boxes	96
Floor standing enclosures	96
Accessories	96
Modem shelves	98
Wall brackets	98
Cage nuts	98
SOHO Wall box	10

Rittal Enclosures



	Page
Wallboxes	97
Floor standing enclosures	97
Accessories	97

Datatracks Enclosures



	Page
Floor standing enclosures	98
Accessories	98

Open Rack Systems



	Page
Panduit 2/4 post racks	25-26
Hubbell 2 post racks	34

Panduit Net-Access Enclosures



	Page
Floor standing enclosures	26

Mini5 Wall & Floor Standing Enclosures



Mini5 own brand enclosures are both competitively

priced and extremely durable. Manufactured to very high standards within the UK, every effort has been taken to ensure ease of onsite installation.

Standard Wall Boxes



600 Wide x 450mm Deep

6u (335mm*)	MT-WMC062
9u (470mm*)	MT-WMC092
12u (600mm*)	MT-WMC122
15u (735mm*)	MT-WMC152

* Overall height in brackets Features include;

- Perspex lockable front door
- Cable entry gland plates.
- Vented top & bottom.
- Slide adjustable Front Profiles.

Wall Boxes with Side Doors



NEW

600 Wide x 450mm Deep

7u (381mm*)	MT-WMC07SD2
9u (470mm*)	MT-WMC09SD2
12u (604mm*)	MT-WMC12SD2
16u (778mm*)	MT-WMC16SD2
20u (960mm*)	MT-WMC20SD2

600 Wide x 560mm Deep

7u (381mm*)	MT-WMC07560SD
9u (470mm*)	MT-WMC09560SD
12u (604mm*)	MT-WMC12560SD
16u (778mm*)	MT-WMC16560SD
20u (960mm*)	MT-WMC20560SD

* Overall height in brackets Features include;

- Glass lockable front Door
- Cable entry gland plates.
- Vented top & bottom.
- Adjustable Front Profiles.
- Removable lockable side doors

IMPORTANT NOTE

800x800 or larger enclosures do not fit through a standard single door frame!

Flat Pack Wall Boxes



600 Wide x 400mm Deep

7u (358mm*)	MT-FPW07
9u (448mm*)	MT-FPW09
12u (582mm*)	MT-FPW12

* Overall height in brackets

- Features include;
- Low cost
 - Fast assembly
 - Glass lockable front door
 - Vented top & bottom.
 - Slotted Front Profiles.
 - Colour grey.

Floor Standing Enclosures



Total height	600W x 600D	600W x 800D
15U 856mm	MT-ENC1566	-
18u 989mm	MT-ENC1866	MT-ENC1868
24u 1256mm	MT-ENC2466	-
27u 1389mm	MT-ENC2766	MT-ENC2768
39u 1923mm	MT-ENC3966	MT-ENC3968
42u 2057mm	MT-ENC4266	MT-ENC4268
47u 2280mm	MT-ENC4766	MT-ENC4768
	800W x 600D	800W x 800D
18u 989mm	MT-ENC1886	MT-ENC1888
27u 1389mm	MT-ENC2786	MT-ENC2788
39u 1923mm	MT-ENC3986	MT-ENC3988
42u 2057mm	MT-ENC4286	MT-ENC4288
47u 2280mm	MT-ENC4786	MT-ENC4788

Server Enclosures

	600W x 1000D	800W x 1000D
18u 989mm	MT-ENC1861	MT-ENC1881
27u 1389mm	MT-ENC2761	MT-ENC2781
42u 2057mm	MT-ENC4261	MT-ENC4281
47U 2280mm	MT-ENC4761	MT-ENC4781

Affordable UK manufactured enclosures. Attractively styled with lockable glass front door, lockable removable side & rear doors. Complete with transit castors & feet.

Enclosure Accessories



Direct Mount Shelves

450mm deep (Max 50kg)	MT-SHE450
570mm deep (Max 50kg)	MT-SHE570
670mm deep (Max 50kg)	MT-SHE670
720mm deep (Max 50kg)	MT-SHE720
820mm deep (Max 50kg)	MT-SHE820
450mm deep (Max 100kg)	MT-SHE450HD
570mm deep (Max 100kg)	MT-SHE570HD
670mm deep (Max 100kg)	MT-SHE670HD
720mm deep (Max 100kg)	MT-SHE720HD
820mm deep (Max 100kg)	MT-SHE820HD

Telescopic Shelf

570mm deep	MT-TEL570
670mm deep	MT-TEL670
720mm deep	MT-TEL720
820mm deep	MT-TEL820

Baying Kit

MT-BAYK

Keyboard Drawer

MT-TELKEY

Plinths

600(w) x 600(d)	MT-PLI66
600(w) x 800(d)	MT-PLI68
800(w) x 600(d)	MT-PLI86
800(w) x 800(d)	MT-PLI88
600(w) x 1000(d)	MT-PLI61
800(w) x 1000(d)	MT-PLI81

Fan Trays

Roof mount 2 Way	MT-FANT2
Roof mount 4 Way	MT-FANT4

Rack mount 2 Way **MT-FAN2RM**

Rack mount 3 Way **MT-FAN3RM**

Earth bonding kit

MT-EBK

Cable management rings

45x65mm (fits to profiles) **MT-JUM4565**

100x90mm (fits to vertical side management on 800mm wide cabs) **MT-JUM10090**

Castors

Light duty castors **MT-CASLD**

Medium duty castors **MT-CASMD**

Heavy duty castors **MT-CASHD**

Cable Trays

15u	CT15**
18u	CT18**
24u	CT24**
27u	CT27**
39u	CT39**
42u	CT42**
47u	CT47**

** Substitute with required width, 150 or 300mm eg CT42150.



Rittal manufactures in the UK and Europe. It has a worldwide sales and distribution network infrastructure. Products shown are normally available on a next day/two day delivery.

TE7000 Floor standing enclosures with glass door



	Total height	600W x 600D	600W x 800D
20u	990mm	7001004	7001006
24u	1190mm	7001012	7001014
33u	1590mm	7001020	7001022
42u	1990mm	7001028	7001030
47u	2190mm	7001036	7001038
800W x 600D 800W x 800D			
20u	990mm	7001008	7001010
24u	1190mm	7001016	7001018
33u	1590mm	7001024	7001026
42u	1990mm	7001032	7001034
47u	2190mm	7001040	7001042

Modern affordable design with lockable glass door, castors & levelling feet. No corner posts for ease of access & cross cabinet patching. Lockable side/rear panels, top cover with brush strip cable entry. Bolt together construction facilitates rapid disassembly/assembly. All enclosures manufactured in RAL7035 grey. Load capacity 400Kg.

TE7000 Floor standing server enclosures with perforated door



	Total height	600Wx1000D	800Wx1000D
24u	1190mm	7001044	-
42u	1990mm	7001052	7001056
47u	2190mm	7001060	7001064

Competitively priced server enclosure with perforated door for better ventilation. Load capacity of 400kg. No corner posts for ease of access & cross cabinet patching. Lockable side/rear panels, top cover with brush strip cable entry. Bolt together construction facilitates rapid disassembly/assembly. Manufactured in RAL7035 grey, black available to special order.

TE Wall boxes




	Total height	600 wide x 467mm deep
6U	323.5mm	7000700
9U	457.5mm	7000710
12U	591.5mm	7000720
15U	725.5mm	7000730

- Glass lockable front door
- Round openings on all sides for cable entry between several enclosures or for access during installation, concealed by covers.
- Interchangeable door hinge.
- Open rear panel for cable entry.
- Three rectangular cutout prepunchings at the rear, top and bottom for cable entry.
- Front mounting angles adjustable in depth from 25-110mm.
- Vent slots at the side.

For power distribution units see page 100.

TE7000 Enclosure Accessories



Standard Direct Mount Shelves*

400mm deep*	7001002
600mm deep*	7001003

* Should be used with "Depth stays" when used in 1000 deep server enclosures.

Adjustable & telescopic Shelves

1U adjustable shelf for 800/1000 deep enclosures	7027594
Telescopic 400mm deep	7027612
Telescopic 600mm deep	7027613

Keyboard Drawer

1U keyboard drawer	7027708
--------------------	----------------

Depth stays (for fixing items between profiles)

420 to 590mm (pack of 2)	7001180
650 to 820mm (pack of 2)	7001181

Fan Trays

4 way roof fan	7001001
2 way rack mount (1U)	7027504

Baying Kit

Baying kit	7001183
------------	----------------

Earth Bonding Kit

Earth bonding kit	7001182
-------------------	----------------

Cable Management Rings (fit to profiles)

60x120mm (pack of 10)	7027450
40x80mm (pack of 10)	7027451
120x90mm (pack of 10)	7537171

Cable tray (sold in pairs)

25U x 150mm cable tray	7027260
27U x 300mm cable tray	7027268
36U x 150mm cable tray	7027261
36U x 300mm cable tray	7027269
42U x 150mm cable tray	7027262
42U x 300mm cable tray	7027274
47U x 150mm cable tray	7027263
47U x 300mm cable tray	7027275

Plinths (1 x front/rear & 1 x side needed for each enclosure).

100H x 600W (front/rear)	8908105
100H x 800W (front/rear)	8908107
200H x 600W (front/rear)	8908110
200H x 800W (front/rear)	8908112
100H x 600D (side)	8908114
100H x 800W (side)	8908115
100H x 1000W (side)	8908116
200H x 600W (side)	8908118
200H x 800W (side)	8908119
200H x 1000W (side)	8908120

Mini5 Modem Shelves



200mm depth 1U	MTV200
300mm Depth 1U	MTV300
300mm Depth 2U	MTV300-2U
400mm Depth 2U	MTV400
500mm Depth 2U	MTV500

Modem shelves are mounted to the front profiles. Suitable for floor standing enclosures and wall cabinets.

Mini5 Wall Brackets



2U 220mm Depth	HWB-2
3U 220mm Depth	HWB-3
4U 220mm Depth	HWB-4
5U 220mm Depth	HWB-5
6U 220mm Depth	HWB-6
8U 220mm Depth	HWB-8

19" hinged wall mount brackets for panels or hubs where a wallbox is not required.

Mini5 cage nuts



Pack of 50 with bright nickel plated 10mm screws	EAC11
Pack of 50 with black 10mm screws	EAC11BK
Individual with black 16mm screw	EAC116



Established since 1990 Dataracks are a UK manufacturer of enclosures & accessories. Products are stringently tested for quality, function and ease of use.

Dataracks Elite 303 Cabinets



With lockable glass front door.

	Total height	600w x 650d	600w x 850d
12U	640mm	FS1-012-300	FS1-112-300
18U	908mm	FS1-018-300	FS1-118-300
24U	1175mm	FS1-024-300	FS1-124-300
30U	1440mm	FS1-030-300	FS1-130-300
36U	1708mm	FS1-036-300	FS1-136-300
42U	1975mm	FS1-042-300	FS1-142-300
48U	2240mm	FS1-048-300	FS1-148-300

	Total height	800w x 650d	800w x 850d
12U	640mm	FS1-212-300	FS1-312-300
18U	908mm	FS1-218-300	FS1-318-300
24U	1175mm	FS1-224-300	FS1-324-300
30U	1440mm	FS1-230-300	FS1-330-300
36U	1708mm	FS1-236-300	FS1-336-300
42U	1975mm	FS1-242-300	FS1-342-300
48U	2240mm	FS1-248-300	FS1-348-300

Server cabinets

	600w x 950d	800w x 950d
30U 1440mm	FS1-4*0-300	FS1-5*0-300
42U 1975mm	FS1-4*2-300	FS1-5*2-300
48U 2240mm	FS1-4*8-300	FS1-5*8-300

* Server cabs available with glass front door or vented steel front door.
Replace * with: 3 = Glass front door, 5 = Vented steel front door.

Rear mounting profiles (pair)	GA1-10*-321
-------------------------------	--------------------

* Replace * with required U height:
12U = 3, 18U = 4, 24U = 5, 30U = 6, 36U = 7, 42U = 8, 48U = 9.

Frameless open structure allows easy access. Lockable front & rear door. Removable side panels. Fitted with transit castors. Flat pack option.

* Supplied with front mounting profiles only.

See pt no above if rear profiles are required.

Dataracks Elite 303 accessories

Fixed vented shelves (496mm width)

	50kg load	100kg load
450mm(d)	SM1-355-311	SM1-372-311
570mm(d)	SM1-356-311	SM1-373-311
670mm(d)	SM1-357-311	SM1-374-311
720mm(d)	SM1-358-311	SM1-375-311

Telescopic shelves (421mm width)

	50kg load	100kg load
450mm(d)	GA1-321-311	GA1-350-311
570mm(d)	GA1-324-311	GA1-353-311
670mm(d)	GA1-326-311	GA1-355-311
720mm(d)	GA1-329-311	GA1-358-311

450mm (d) shelves suitable for 650 deep cab, 570mm & 670mm for 850 deep cabs and 720mm for 950 deep cab.

Rack mount fans (1U)

2 way = 86, 3 way = 84, 4 way = 88, 6 way = 85. Example: 02-0088-1 = 4 way.

Roof fans

Cab size	2 way	4 way
600w x 650d	EA1-040-021	EA1-046-021
600w x 850d	EA1-041-021	EA1-047-021
600w x 950d	EA1-042-021	EA1-048-021
800w x 650d	EA1-043-021	EA1-049-021
800w x 850d	EA1-044-021	EA1-050-021
800w x 950d	EA1-045-021	EA1-051-021

	6 way
600w x 950d	EA1-054-021
800w x 850d	EA1-056-021
800w x 950d	EA1-057-021

Castors (see note below) **GA1-***-000**
*** Light duty = 023, medium duty = 141, heavy duty = 142.
Example = GA1-141-000.

Levelling feet (100mm)

GA1-143-000		
Std Plinths (100mm height)		
Depth	600mm width	800mm width
600mm	SS1-025-314	SS1-028-314
850mm	SS1-026-314	SS1-029-314
950mm	SS1-027-314	SS1-030-314

Extendable Plinths (100mm high)

Depth	600mm width	800mm width
600mm	SS1-013-314	SS1-016-314
850mm	SS1-014-314	SS1-017-314
950mm	SS1-015-314	SS1-018-314

Plinth feet (pack of 4)

GA1-144-000

Cable tray

GA1-0-311**
**150mm wide: 12U = 67, 18U = 68, 24U = 69, 30U = 70, 36U = 71, 42U = 72, 48U = 73

**300mm wide: 12U = 74, 18U = 75, 24U = 76, 30U = 77, 36U = 78, 42U = 79, 48U = 80